FS-6025MFP/FS-6030MFP

MONOCHROME MULTIFUNCTIONAL FOR A4/A3 FORMAT



ECOSYS stands for ECOlogy, ECOnomy and SYStem-printing.

With their long-life components, ECOSYS devices are designed to maximise durability and minimise the total cost of ownership with regard to maintenance, administration and consumables. The cartridge-free system means that only the toner has to be replaced regularly. The modular design concept allows you to add workflow-

enhancing functions as required. Integrated system software provides long-term crossnetwork compatibility. KYOCERA's long-life components cost you and the environment less.

With the KYOCERA page design and control language PRESCRIBE II, even complex graphics, logos and forms (multipart forms) can be created independently on the system and saved and updated in the printer. Consequently, integration into print files no longer applies. They are only accessed as required and therefore relieve the load on the network.

The KM NetViewer enables complete monitoring and control of all ECOSYS printers and digital KYOCERA multifunction units from any Windows® PC and thus provides ideal network administration. It also supports the standardised SNMP protocol.

The Status Monitor shows the current printer's condition and gives direct access to the Command Center for the modification of settings that are not contained in the drivers (e.g. network settings, adjustment of sleep mode or blocking of the control panel).

Documents can be printed directly from and scanned to a USB Flash Memory (e.g. USB stick) via the USB host interface. The documents stored

Technology: KYOCERA ECOSYS, Mono Laser

Engine speed FS-6025MFP: Up to 25/12 pages A4/A3 per minute Engine speed FS-6030MFP: Up to 30/15 pages A4/A3 per minute

Resolution: 600 x 600 dpi (print), 600 x 600 dpi (scan/copy) Warm-up time: Approx. 21 seconds or less

Time to first print: Approx. 8 seconds or less

Time to first copy: Approx. 9.2 seconds or less (DP), 7.8 seconds or less (Platen Cover)

CPU: PowerPC 464 / 800 MHz

Memory: Standard 512 MB, max. 1,536 MB

Standard interface: USB 2.0 (Hi-Speed), USB Host 2.0, Fast Ethernet 10/100/1000Base-TX, slot for optional print server, slot for optional CompactFlash®-Card

Integrated accounting: 100 department codes

Dimensions with platen cover (WxDxH): 590 x 590 x 586.5 mm (FS-6025MFP/B

Dimensions with document processor (WxDxH): 590 x 590 x 694 mm (FS-6025MFP, FS-6030MFP)

Weight with platen cover: Approx. 46.5 kg including toner container Weight with document processor: Approx. 52.2 kg including

Power source: AC 220 ~ 240 V, 50/60 Hz

Power consumption
Printing FS-6025MFP: 553 Watt, FS-6030MFP: 570 Watt
Copying FS-6025MFP: 553 Watt, FS-6030MFP: 570 Watt
Standby: FS-6025MFP: 119 Watt, FS-6030MFP: 119 Watt
Sleep-mode: FS-6025MFP: 1.0 Watt, FS-6030MFP: 1.0 Watt

Noise (sound pressure level: ISO 7779/ISO 9296) FS-6025MFP – copying/printing: 45,5 dB(A) FS-6030MFP – copying/printing: 45,8 dB(A) Stand-bv: 25.4 dB(A)

Safety standards: TÜV/GS, CE This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.

Input capacity: 100-sheet multi-purpose tray, 45–256 g/m² (52–163 g/m² for larger than A4/Letter size), A3, A4, A5, A6, B5, Letter, Legal, Folio, envelopes, Custom (98 x 148 to 297 x 432 mm)

500-sheet universal paper cassette, 60–163 g/m², A3, A4, A5, B5, Letter, Legal, Folio, max. input capacity with options: 1,600

Duplex unit: Duplex as standard supports 60-163 g/m² Reversing document processor: 50-sheet, Simplex scan

45–160 g/m², Duplex scan 50–120 g/m², A3, A4, A5, B5, Letter, Legal, Custom (140 x 182 to 297 x 432 mm) Output capacity: Max. 300 sheets; 250 sheets face-down (Main Tray) plus 50 sheets (Job Separator Tray)

Your KYOCERA Business Partner:

Controller language: PRESCRIBE IIe

Operating systems: All current Windows operating systems, MAC OS X Version 10.4 or higher, Unix, Linux as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL 6, KPDL3) + 8 (Windows Vista), 1 Bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)

Features: encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3, Private Print (requires memory expansion)

Max. original size: A3/Ledge Continuous copving: 1-999

Zoom range: 25-400% in 1% steps

Preset magnification ratios: 5 Reductions / 5 Enlargements

Exposure mode: Auto, manual: 7 steps Image adjustments: Text, Photo, Text + Photo, Graphic/Map,

Features: Scan-once-copy-many, electronic sort, 2in1, 4in1, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change (PF-470 or PF-471 is required), copy density control, Prevent Bleed-Through

Functionality: Scan-to-Email, Scan-to-FTP, Scan-to-SMB, Scan to USB Host, Network TWAIN, WIA, WSD scan

Scan speed: 40 ipm (300 dpi, A4, b/w), 20 ipm (300 dpi, A4 colour) Scan resolution: 600, 400, 300, 200 dpi (256 greyscales per colour)

Max. scan size: A3. Ledger Original recognition: Text, photo, text + photo, OCR

File types: TIFF, PDF, PDF/A, JPEG, XPS

Compression method: MMR /JPEG

Features: Integrated address book, Active Directory support, encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once

Compatibility: ITU-T Super G3

Modem speed: Max. 33.6 kbps Transmission speed: Less than 3 sec

Scanning speed: 2.0 seconds (Quick Scanning, Bitmap)

Address book: 200 entries

Scanning density
Normal: 8 dot/mm x 3.85 line/mm
Fine: 8 dot/mm x 7.7 line/mm
Superfine: 8 dot/mm x 15.4 line/mm Ultrafine: 16 dot/mm x 15.4 line/mm Halftone: 256 grev scales

Maximum original size: A3, Ledger

Compression method: JBIG, MMR, MR, MH

Memory reception: 700 sheets or more

Features: Network fax, duplex transmission and reception, encrypted transmission and reception, polling transmissio and reception, broadcast

Average continuous toner yield in accordance with ISO/IEC 19752

TK-475 Toner Kit: Microfine toner black for 15,000 pages A4 Capacity of starter toner is 3,000 pages A4

PF-470 Paper feeder: Max. 500 sheets; 60–163 g/m²; A3, A4, PF-470 Paper leeder: Max. 500 Silects; 60–163 g/m²; A3, A4, A5, B5, Letter, Legal, Custom (98 x 148 to 297 x 432 mm)
PF-471 Paper feeder: Max. 1,000 sheets; 60–163 g/m²; A3, A4, A5, B5, Letter, Legal, Custom (98 x 148 to 297 x 432 mm)
DF-470* Document finisher + AK-470: Max. 500 sheets
60-163g/m² (FS-6025/6030MFP); A3, A4, A5, B5, Letter, Legal, Custom (98x148 to 297x432 mm), 3 positions stapling up to

*Bridge unit AK-470 is required for the use of DF-470

50 sheets A4 or 25 sheets A3

Memory upgrade MDDR2-256: 256 MB; MDDR2-512: 512 MB, MDDR2-1024: 1,024 MB

CF*-Card: CF-4 (4 GB) for printing forms, fonts, logos, macro storage USB Flash Memory: Supports direct printing and scanning of PDF XPS TIFF IPFG files via USB Host interface

UG-33: ThinPrint support

USB IC Card Reader + Card Authentication Kit (B): Support for various authentication keys available

Optional interface
IB-50: GigaBit-Printserver 10BaseT/100BaseTX/1000BaseT

CB-470 Cabinet: Wooden desk with storage capacity, inclu-

ding castors (wheels)

CB-471 Cabinet: Wooden base for height increase (to be used only with PF-470 or PF-471) only with PF-4/U of PF-4/I) **CB-472 Cabinet:** Metal desk with storage capacity, including

CB-473 Cabinet: Metal base for height increase (to be used only with PF-470 or PF-471)

1-year warranty as standard.** KYOCERA guarantees the drum and developer for 3 years or 300,000 pages (whichever occurs sooner), provided each device is used and cleaned in



KYOCERa

FS-6025MFP/FS-6030N

COMPACT ECOSYS MULTIFUNCTIONALS FOR A4/A3 FORMAT

▶ print ▶ copy ▶ scan ▶ fax

NEED LOW-COST, PROFESSIONAL

DOCUMENT OUTPUT IN YOUR COMPACT OFFICE?





www.kyoceramita-europe.com - info@kyoceramita-europe.com

KYOCERA MITA Europe B.V. – Branch Office Germany – Otto-Hahn-Straße 12 – 40670 Meerbusch – Germany Tel +49 (0) 2159 928-500 – Fax +49 (0) 2159 918-100

NEED A PROFESSIONAL MFP FOR A SMALL OFFICE WITH A SMALLER BUDGET?

KYOCERA's unique ECOSYS technology cuts the cost of consumables and energy use. It also provides exceptionally low printing and whole-of-life costs. Long-life technology with longer main-

tenance cycles help ensure unprecedented reliability.

ECOSYS is where economy and ecology meet. It has been designed to minimise ozone emissions and reduce noise levels, whilst promoting a more comfortable office environment. Make the most of your office environment and your budget, with KYOCERA.

DESIGNED TO MEET THE PROFESSIONAL REQUIREMENTS OF SMALL OFFICES

Just because your office is small does not mean you are less demanding. You still have professional printing requirements; you still need high-quality output and if anything, you need even greater efficiency and productivity.

Specifically designed to handle the volume demands of networks and workgroups with between 10 and 20 users, these new KYOCERA MFPs offer a paper capacity of up to 1,600 pages from four sources, and the ability to process paper weights of up to 256 g/m².

The innovative colour touch panel can be customised to each user, making it easy to access all the functions you really need.

Additionally, these new multifunctional devices offer all the benefits of professional-level document management, including A3 format printing, and copying at up to 30 pages per minute, at a price that fits the most challenging budget.

With the flexibility of standard functionalities such as faxing and colour scanning directly to your PC, a network folder or a USB flash memory stick, as well as the reduced paper usage of standard duplex printing, these new KYOCERA devices easily satisfy the professional demands of compact offices.

PRODUCT HIGHLIGHTS TO MEET YOUR REQUIREMENTS:

- ► Up to 30/15 pages A4/A3 per minute
- Time to first copy: 9.2 seconds or less
- Professional print, copy, scan and fax functionality
- Colour scan functionality
- ► Up to 1.600 sheet paper capacity
- Minimum installation and operation requirements
- ► Easy to use Colour Touch Panel with wizard-style navigation
- 360° all-round style design and low noise emissions
- ► Long-life components provide unprecedented efficiency and reliability
- Exceptionally low total cost of ownership in its class



NEED PROFESSIONAL QUALITY FULL-COLOUR PRINTING?

Together with A3 printing, these new, compact KYOCERA multifunctional devices offer full, professional print quality and functionality. The FS-C8020MFP and FS-C8025MFP offer vibrant, high-resolution colour printing. Improved toner technology combined with improved hardware ensure pin-sharp lines and clear images.

And with such advanced colour technology, the quality of your documents will perfectly match the image of your company. An extended range of colours produce a rich, vibrant clarity to your printing that sends a clear message to everyone who handles your documents.

The new KYOCERA MFP devices are the smart choice for eco-friendly offices. When the toner does finally run out, it is only the toner container that needs to be replaced, instead of an entire cartridge including drum and/or developer.



NEED A DEVICE THAT IS EASY TO INSTALL, EASY TO SET UP AND EASY TO USE?

NEED PROFESSIONAL FUNCTIONALITY WITH USER-FRIENDLY INSTRUCTIONS?

So you need to print, fax and copy data in A4 and A3? No problem. Like to scan and share documents in colour even if printing jobs are mainly done in B/W? At no extra cost? Also no problem. No more lost time on complex operations. No more frustrations trying to work out the best way to present your document's contents.

Imagine being able to scan your documents and send them direct to an individual PC, store them on a network server, or even attach to specific e-mail. In fact, simply by-pass the traditional dispatch and printing bottle necks.

Streamline your archiving by ensuring documents are stored and easily retrievable from where they belong. Use sophisticated document management functions such as logins, codes, user defined functions, colour print volume controls and access.





NEED EFFICIENCY, FLEXIBILITY AND INCREASED PRODUCTIVITY?

With a generous paper capacity, a fast first copy time and impressive performances in speed, you can be sure this device can handle the most demanding office printing requirements. Include a reversible document processor, and a job separator to keep the output of different users apart, and you can start to see how much more efficient and productive your office could be with one of these new, compact KYOCERA multifunctional devices. With a powerful controller, as well as a durable, high-speed document processor, all your copies, scans and faxes can be sent across either local or wide area networks. And despite the fact they offer the most sophisticated functionality, the new KYOCERA MFPs are still incredibly easy to use.



But that's not all. These new multifunctionals also stand out because of how much they save. Less wasted time. Less wasted paper. Fewer wrongly sent and misdirected documents, and less customer dissatisfaction, as well. Just fast warm up, quiet operation and professional document management in a stylish, compact design.

NEED TO KEEP YOUR INFORMATION, DOCUMENTS AND DATA SECURE?

Data security has become a high priority, and these multifunctional devices offer the latest security standards required in modern corporate network environments. They are easily integrated into your company's IT infrastructure and come with an IPsec and the SSL suite of encryption protocols, to guarantee the data travelling through your network is secured.

Active Directory network authentication delivers further security without the need to set ID access data for each single user. Simply use the preset network authentication data for managing access rights to the machine's functionalities.

NEED PROFESSIONAL FUNCTIONALITY

TO FIT YOUR COMPACT, WELL-DESIGNED OFFICE?

KYOCERA's new A4 and A3. MFP devices are designed with compact, well-designed offices in mind. Their 360° all-round style looks good from any direction; even in the middle of the office! You can even fine tune them to suit your unique work requirements, due to their compact design.

Additional paper cassettes with one or two paper feeders, network faxing, gigabit Ethernet card, thin print activation and an up to 500 sheet staple finisher. These new ECOSYS A4 and A3 MFPs provide big support in any small office.



NEED A PARTNERSHIP, NOT JUST A SUPPLIER? COUNT ON US.

Easy to use for everyone!

Colour touch panel with wizard-type navigation

Fast & secure printing

USB host for direct printing

Power source: AC 220 ~ 240 V, 50/60 Hz

Warm-up time

Time to first print

Time to first copy

CPU: PowerPC 464 / 800 MHz

Ecosys

Power consumption
Printing FS-C8020MFP: 567 Watt, FS-C8025MFP: 607 Watt
Copying FS-C8020MFP: 567 Watt, FS-C8025MFP: 607 Watt
Stand-by FS-C8020MFP: 135 Watt, FS-C8025MFP: 139 Watt Sleep-mode FS-C8020MFP: 1 Watt, FS-C8025MFP: 1 Watt

FS-C8020MFP/FS-C8025MFP

COLOUR MULTIFUNCTIONAL FOR A4/A3 FORMAT

ECOSYS stands for ECOlogy,

With their long-life components, ECOSYS devices are designed to maximise durability and mini-

mise the total cost of ownership with regard to maintenance, administration and consumables.

The cartridge-free system means that only the

toner has to be replaced regularly. The modular design concept allows you to add workflow-

enhancing functions as required. Integrated system software provides long-term cross-network compatibility. KYOCERA's long-life components cost you and the environment less.

Technology: KYOCERA ECOSYS, COLOUR Laser

FS-C8020MFP: Approx. 55 seconds or less FS-C8025MFP: Approx. 45 seconds or less

Memory: Standard 1,024 MB, max. 2,048 MB

Integrated accounting: 100 department codes

Dimensions with Document processor (W x D x H)

slot for optional CompactFlash®-Card

FS-C8020MFP: Up to 20/10 pages A4/A3 per minute in colour and b/w FS-C8025MFP: Up to 25/13 pages A4/A3 per minute in colour and b/w

Resolution: 600 x 600 dpi (print), 600 x 600 dpi (scan/copy)

FS-C8020MFP: Approx. 11 sec. or less in b/w, 14 sec. or less in colour FS-C8025MFP: Approx. 10 sec. or less in b/w, 12 sec. or less in colour

FS-C8020MFP: Approx. 12.7 sec. or less in b/w,15.6 sec. or less in colour FS-C8025MFP: Approx. 11.7 sec. or less in b/w, 13.6 sec. or less in colour

Standard interface: USB 2.0 (Hi-Speed), USB Host 2.0, Fast Ethernet 10/100/1000Base-TX, slot for optional print server,

Weight with Document processor: Approx. 80 kg including

ECOnomy and SYStem-printing.

Noise (sound pressure level: ISO 7779/ISO 9296) FS-C8020MFP - copying/printing : 47dB(A) FS-C8025MFP - copying/printing : 49dB(A)

Stand-by: 35dB(A)

Safety standards: TÜV/GS, CE

This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

All paper capacities quoted are based on a paper thickness of max. 0.11 mm. Please use paper recommended by KYOCERA under normal environmental conditions.

Input capacity: 100-sheet multi-purpose tray, 60-256 g/m (52–163 g/m² for larger than A4/Letter size), A3, A4, A5, A6, B5, Letter, Legal, Folio, envelopes, Custom (98 x 148 to 297 x 432 mm)

500-sheet universal paper cassette, 60–256 g/m², A3, A4, A5, B5, Letter, Legal, Folio, max. input capacity with options: 1,600

Duplex unit: Duplex as standard supports 60-220 g/m²

accessed as required and therefore relieve the load on the network.

Reversing document processor: 50-sheet, Simplex scan 45-160 g/m², Duplex scan 50-120 g/m², A3, A4, A5, B5, Ledger, Letter, Legal, Custom (140x182 to 297x432mm) **Output capacity:** Max. 280 sheets; 250 sheets face-down (main tray) plus 30 sheets (job separator tray)

Controller language: PRESCRIBE IIc

Fmulations: PCL 6 (5c/XL) KPDL 3 (PostScript 3 compatible) PDF Direct Print, XPS Direct Print

Operating systems: All current Windows operating systems MAC OS X Version 10.4 or higher, Unix, Linux as well as other operating systems on request

Fonts/barcodes: 93 outline fonts (PCL 6, KPDL3) + 8 (Windows Vista), 1 Bitmap font, 45 types of one-dimen 1 type of two-dimensional barcode (PDF417)

Features: Encrypted PDF Direct Print, IPP printing, e-mail printing, WSD print, secure printing via SSL, IPsec, SNMPv3, Private Print (requires memory expansion)

Max. original size: A3/Ledger Continuous copying: 1-999

Zoom range: 25-400% in 1% steps

Preset magnification ratios: 5 Reductions / 5 Enlargements

Exposure mode: Auto, manual: 7 steps

Image adjustments: Text, photo, text + photo, graphic/

map, printer output

Features: Scan-once-copy-many, electronic sort, 2in1, 4in1, job reserve, priority print, program, auto duplex copy, split copy, continuous scan, auto cassette change (PF-470 or PF-471 is required), copy density control, Prevent Bleed-Through

Functionality: Scan-to-Email, Scan-to-FTP, Scan-to-SMB,

Scan to USB Host, Network TWAIN, WIA, WSD scan Scan speed: 40ipm (300dpi, A4, b/w, colour)

Scan resolution: 600, 400, 300, 200, 400 x 200, 200 x 100

dpi (256 greyscales per colour) Max. scan size: A3, Ledger

Original recognition: Text, photo, text + photo, OCR

File types: TIFF, PDF, PDF/A, JPEG, XPS

Compression method: MMR /JPEG

Features: Integrated address book, Active Directory support encrypted data transfer, multi send (e-mail, fax, SMB/FTP folder, print) at once

Compatibility: ITU-T Super G3 Modem speed: Max. 33.6 kbps

Transmission speed: Less than 3 seconds.

Scanning speed: 2.0 seconds (quick scanning, bitmap)

Address book: 200 (personal address) + 50 entries (group address) Scanning density:

Normal: 8 dot/mm x 3.85 line/mm

Fine: 8 dot/mm x 7.7 line/mm Superfine: 8 dot/mm x 15.4 line/mm Ultrafine: 16 dot/mm x 15.4 line/mm Halftone: 256 grev scales

Maximum original size: A3, Ledger

Compression method: JBIG, MMR, MR, MH

Memory reception: 700 sheets or more

Features: Network fax, duplex transmission and reception. encrypted transmission and reception, polling transi and reception, broadcast

With the KYOCERA page design and control language PRESCRIBE II, even complex graphics, logos and forms (multipart forms) can be created

The KM NetViewer enables complete monitoring and control of all ECOSYS printers and digital KYOCERA multifunction units from any Windows° PC and thus provides ideal network administration. It also supports the standardised SNMP protocol.

The Status Monitor shows the current printer's condition and gives direct access to the Command Center for the modification of settings that are not contained in the drivers (e.g. network settings, adjustment of sleep mode or blocking of the control panel)

independently on the system and saved and updated in the printer. Consequently, integration into print files no longer applies. They are only

Documents can be printed directly from and scanned to a USB Flash Memory (e.g. USB stick) via the USB host interface. The documents stored

Average continuous toner yield in accordance with ISO/IEC 19798

TK-895K Toner-Kit: Microfine toner black for 12,000 pages A4 TK-895C, TK-895M, TK-895Y, Toner-Kit: Microfine toner cyan, magenta, yellow for 6,000 pages A4

Capacity of starter toner is black 3,000 pages, cyan, magenta, yellow 1,500 pages A4

Fax System (U)

Paper handling
PF-470 Paper feeder: Max. 500 sheets; 60-256 g/m²; A3, A4,
A5, B5, Letter, Legal, Custom (98x148 to 297x432mm)
PF-471 Paper feeder: Max. 1,000 sheets; 60-256 g/m²; A3, A4, A5, B5, Letter, Legal, Custom (98x148 to 297x432 mm) **DF-470* Document finisher + AK-470:** Max. 500 sheets 60 256 g/m²; A3, A4, A5, B5, Letter, Legal, Custom (98x148 to 297x432 mm), 3 positions stapling up to 50 sheets A4 or 25

*Bridge unit AK-470 is required for the use of DF-470

Memory upgrade: MDDR2-256: 256 MB; MDDR2-512: 512 MB, MDDR2-1024: 1.024 MB

CF*-Card: CF-4 (4 GB) for printing forms, fonts, logos, macro storage **USB Flash Memory:** Supports direct printing and scanning of PDF, XPS, TIFF, JPEG files via USB Host interface

UG-33: ThinPrint support

USB IC Card Reader + Card Authentication Kit (B): Support for

Optional interface IB-50: Gigabit-Printserver 10BaseT/100BaseTX/1000BaseT

CB-470 Cabinet: Wooden desk with storage capacity, including castors (wheels)

CB-472 Cabinet: Metal desk with storage capacity, including

castors (wheels)

1-year warranty as standard.** KYOCERA guarantees the drum and developer for 3 years or 200,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions







Your KYOCERA Business Partner:

KYOCERA MITA Europe B.V. – Branch Office Germany – Otto-Hahn-Straße 12 – 40670 Meerbusch – Germany Tel +49 (0) 2159 928-500 – Fax +49 (0) 2159 918-100

KYOCERA MITA Corporation – 2-28, 1-Chome – Tamatsukuri – Chuo-Ku Osaka 540-8585 – Japan – www.kyoceramita.com

www.kyoceramita-europe.com - info@kyoceramita-europe.com

*KYOCERA does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged. **Depending on the country.

