

Page : 1/8 Date Revised : 1 Nov. 2018 Date Issued : 1 Apr. 2008 SDS No. F-01666 (LO_EN)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier : MX-C38ATC / MX-C38BTC / MX-C38CTC / MX-C38FTC / MX-C38GTC

MX-C40NTC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/ Mixture : Reprographic agents (Cyan Toner)

1.3 Details of the supplier of the safety data sheet

Company / Japan : SHARP Corporation

1 Takumi-cho, Sakai-ku, Sakai-city, Osaka, Japan

Local suppliers are listed below. Please contact the nearest supplier for additional information.

Area	(Country)	(Local suppliers)				
	U.S.A.	Sharp Electronics Corporation				
		100 Paragon Drive, Montvale, Nev	w Jersey 07645-1779			
		Telephone number	: 800-237-4277			
North		Emergency telephone number	: 800-255-3924			
America	Canada	Sharp Electronics of Canada Ltd.				
		335 Britannia Road East, Mississauga, Ontario L4Z 1W9				
		Telephone number	: 905-890-2100			
		Emergency telephone number	: 1-800-255-3924			
	Australia	Australia Sharp Corporation of Australia PTY. Ltd.				
Oceania		2 Julius Avenue North Ryde NSW	2113			
		Telephone number	: 1300-13-50-22			
	France	SHARP Manufacturing France S.A.				
		Route de Bollwiller, 68360 Soultz,	Haut Rhin, France			
Europe		Telephone number	: +49 40 2376-0			
Luiope		Emergency telephone number				
		(from 9:00 to 17:00 CET/CEST	Γ, English, German Only)			
		E-mail address : co	ompliance@sharp.eu			
Middle	U.A.E.	Sharp Middle East FZE				
F (P.O.Box 17115 Jebel Ali, Dubai				
East		Telephone number	: 04-8815311			

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (GHS)

Not Classified as hazardous

2.2 Label elements

Labelling (GHS)

Hazard symbol	: None
---------------	--------

- Signal word : None
- Hazard statements : None

Precautionary statements : None

2.3 Other hazards

Potential dust explosion hazard.



Page : 2/8 Date Revised : 1 Nov. 2018 Date Issued : 1 Apr. 2008 SDS No. F-01666 (LO_EN)

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical Name	CAS-No.	Concentration
		(%)
Polyester resin	Confidential	80-90
Organic pigment	Confidential	1-10
Paraffin waxes and Hydrocarbon waxes	8002-74-2	1-5
Amorphous silica	7631-86-9	1-5

SECTION 4: First aid measures

4.1 Description of first aid measures.	
If inhaled	: If inhaled, remove to fresh air.
	If not breathing, give artificial respiration.
	If breathing is difficult, give oxygen.
	Get medical attention.
In case of skin contact	: Remove contaminated clothing and shoes.
	Get medical attention if irritation develops and persists.
	Wash clothing before reuse.
	Thoroughly clean shoes before reuse.
In case of eye contact	: If in eyes, rinse well with water.
	Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, get medical attention.
	Rinse mouth thoroughly with water.
4.2 Most important symptoms and eff	ects, both acute and delayed
Risks	: Dust contact with the eyes can lead to mechanical irritation
4.3 Indication of any immediate medio	cal attention and special treatment needed
Treatment	: Treat symptomatically and supportively.
SECTION 5: Firefighting measures	5
5.1 Extinguishing media	
Suitable extinguishing media	: Water spray
	Alcohol-resistant foam
	Dry chemical
	Carbon dioxide (CO2)
Unsuitable extinguishing media	: High volume water jet



Page : 3/8 Date Revised : 1 Nov. 2018 Date Issued : 1 Apr. 2008 SDS No. F-01666 (LO_EN)

		SDS No. F-01666 (LO_EN)
5.2 Special hazards arising from the su	bstan	ice or mixture
Specific hazards during firefighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
		Nitrogen oxides (NOx)
5.3 Advice for firefighters		
Special protective equipment for firefigh	iters:	In the event of fire, wear self-contained breathing apparatus.
		Use personal protective equipment.
SECTION 6: Accidental release mea	asure	 S
6.1 Personal precautions, protective eq	luipm	ent and emergency procedures
Personal precautions	:	Use personal protective equipment.
		Follow safe handling advice and personal protective
		equipment recommendations.
6.2 Environmental precautions		
Environmental precautions	:	Discharge into the environment must be avoided.
6.3 Methods and material for containme	ent an	nd cleaning up
Methods for cleaning up	:	Sweep up or vacuum up spillage and collect in suitable
		container for disposal.
		Avoid dispersal of dust in the air (i.e., clearing dust surfaces
		with compressed air).
		Dust deposits should not be allowed to accumulate on
		surfaces, as these may form an explosive mixture if they are
		released into the atmosphere in sufficient concentration.
SECTION 7: Handling and storage		
7.1 Precautions for safe handling		
Technical measures	:	Static electricity may accumulate and ignite suspended dust
		causing an explosion.
		Provide adequate precautions, such as electrical grounding
		and bonding, or inert atmospheres.
Advice on safe handling	:	Do not breathe dust. Do not swallow.
		Avoid contact with eyes.
		Handle in accordance with good industrial hygiene and safety prac
		Minimize dust generation and accumulation.
		Keep away from heat and sources of ignition.
		Take care to prevent spills, waste and minimize release to the
		environment.
Hygiene measures	:	When using do not eat, drink or smoke.



Page : 4/8 Date Revised : 1 Nov. 2018 Date Issued : 1 Apr. 2008 SDS No. F-01666 (LO_EN)

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	: Keep tightly closed. Keep in a cool, well-ventilated place.
areas and containers	Be stored in accordance with the particular national regulations.
Advice on common storage	: Do not be stored together with the following product types:
	Strong oxidizing agents
	Organic peroxides
	Explosives
	Gases

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of	Control parameters	Basis
		exposure)		
Amorphous silica 7631-86-9		TWA	80 mg/m3/ (%SiO2)	OSHA PEL
		TWA	3 mg/m3	ACGIH TLV

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Personal protective equipment

Eye protection	: Not required under intended use
Hand protection	: Not required under intended use
Skin and body protection	: Not required under intended use
Respiratory protection	: Not required under intended use

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	powder
Colour	:	Blue
Odour	:	odourless
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	100 - 130 °C
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable



Page : 5/8 Date Revised : 1 Nov. 2018 Date Issued : 1 Apr. 2008 SDS No. F-01666 (LO_EN)

Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Density	:	ca. 1.1 g/cm3
Bulk density	:	ca. 0.4 g/cm3
Solubility(ies) Water solubility	:	negligible
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	Not applicable
9.2 Other information		

No data available

SECTION 10: Stability and reactivity	/	
10.1 Reactivity		
Not classified as a reactivity hazard.		
10.2 Chemical stability		
Stable under normal conditions.		
10.3 Possibility of hazardous reactions		
Hazardous reactions	:	Dust can form an explosive mixture in the air.
		Can react with strong oxidizing agents.
10.4 Conditions to avoid		
Conditions to avoid	:	None known.
10.5 Incompatible materials		
Materials to avoid	:	Oxidizing agents
10.6 Hazardous decomposition produc	ts	
No hazardous decomposition products	are	known.

SECTION 11: Toxicological information		
11.1 Information on toxicological effects		
Information on likely routes of exposure	: Inhalation	
	Skin contact	
	Ingestion	
	Eye contact	
	5 / 8	



Page : 6/8 Date Revised : 1 Nov. 2018 Date Issued : 1 Apr. 2008 SDS No. F-01666 (LO_EN)

Acute Toxicity	
Ingestion(oral)	: LD ₅₀ > 2000mg/kg (Rats)
Inhalation	: LC ₅₀ > 5.0mg/L
Eye irritation	: Not an irritant (Rabbits)
Skin irritation	: Not an irritant (Rabbits)
Skin sensitizer	: No sensitization
Mutagenicity	: Negative (Ames Test)
Carcinogenicity	
NTP	: Not listed
IARC monographs	: Not listed
OHSA regulations	: Not listed
Chronic Effect	: No data

SECTION 12: Ecological information

12.1 Ecotoxicity

Toxicity to fish	:	LC50: > 100 mg/l
		Exposure time: 96 h
Toxicity to daphnia and other aquatic	:	EC50: > 100 mg/l
invertebrates		Exposure time: 48 h
Toxicity to algae	:	EC50: > 100 mg/l
		Exposure time: 72 h

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Other adverse effects

No data available

SECTION 13: Disposal considerations			
13.1 Waste treatment methods			
Product	: Dispose of it in accordance with local regulations.		
Contaminated packaging	: Dispose of it as an unused product.		
	Empty containers should be taken to an approved waste		
	handling site for recycling or disposal.		



TLV

SAFETY DATA SHEET

Page : 7/8 Date Revised : 1 Nov. 2018 Date Issued : 1 Apr. 2008 SDS No. F-01666 (LO_EN)

	SDS No. F-01666 (LO_EN
SECTION 14: Transport inform	nation
14.1 UN number	: None
14.2 UN proper shipping name	: None
14.3 Transport hazard class(es)	: None
14.4 Packing group	: None
14.5 Environmental hazards	: None
14.6 Special precautions for user	: Not applicable
14.7 Transport in bulk according	to Annex II of MARPOL 73/78 and the IBC Code
Remarks	: Not applicable for product as supplied.
SECTION 15: Regulatory infor	mation
15.1 Safety, health and environm	ental regulations/legislation specific for the substance or mixture
EU Information	
Regulation (EC) No 649/2012 of	the European Parliament : Not applicable
and the Council concerning the	export and import of
dangerous chemicals	
REACH - Candidate List of Subs	stances of Very High : Not applicable
Concern for Authorisation (Articl	e 59).
Regulation (EC) No 1005/2009 of	on substances that deplete : Not applicable
the ozone layer	
Regulation (EC) No 850/2004 or	n persistent organic pollutants : Not applicable
US Information	
TSCA (Toxic Substances Contro	ol Act) :
All chemical substances in this	product comply with all applicable rules or order under TSCA.
Canada Information	
WHMIS Legislation : This pro	duct is not a controlled product
Australian Information	
All ingredients was listed on the	e Australian inventory of chemical substances.
SECTION 16: Other informatio	'n
Full text of other abbreviations	
ACGIH	: American Conference of Governmental Industrial Hygienists
IARC	: International Agency for Research on Cancer
OSHA	: Occupational Safety and Health Administration
PEL	: Permissible Exposure Limit

: Threshold Limit Value



Page : 8/8 Date Revised : 1 Nov. 2018 Date Issued : 1 Apr. 2008 SDS No. F-01666 (LO_EN)

Further information

Sources of key data used to compile the Safety Data Sheet:

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency,http://echa.europa.eu/

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.